INFOCUS[°] LP[°]**70**+ MOBILE PROJECTOR

UNMATCHED PORTABILITY. UNMATCHED PERFORMANCE.

Whether you're presenting or simply capturing information in a group meeting, you won't want to be without the InFocus[®] LP[®]70+. 1500 powerful lumens flood any room with brilliant color and unparalleled clarity. Integrated data, video and audio yield a projector that's ready to make your multimedia presentation larger than life.









KNOWLEDGE IS POWER. SHARE YOURS.

- OVERACHIEVER, UNDER BUDGET.

We squeezed a full-featured projector into a convenient package that won't blow your budget. Overachieving? Maybe. Affordable? Absolutely. A great investment for you and your company, the LP70+ raises the bar without raising the price. It's a powerful collaboration tool that makes meetings efficient and more portable than ever.

- BUSINESS TOOL AND TRAVELING COMPANION IN ONE.

The must-have LP70+ combines seamless connectivity, exceptional image quality and rich multimedia performance in an intuitively designed solution. The result? You get the best of all worlds in a smaller, more powerful projector that enables you to collaborate anywhere.

- FEAST YOUR EYES ON A NEW WAY TO COLLABORATE.

Meetings will never be the same again. The InFocus LP70+ puts the focus on your ideas wherever you are. Change rooms, change audiences, change cities — the compact LP70+ provides flexibility for any environment.

- READY, SET, WIRELESS.

Since the LP70+ is wireless-ready, it's easy to add wireless capability to the projector. Now you're ready for any projection environment, and you're more efficient.

CHANGING THE WORLD ONE MEETING AT A TIME

There's a reason "mine" was your first word. An ideal partner to your notebook PC, the InFocus LP70+ completes your personal cutting-edge suite of digital tools.





Grab one lightweight bag and go.



Goodbye, bulky. Hello, streamlined.



The LP70+ loves to travel.



The freedom to collaborate on your terms.

-GREAT MINDS THINK ALIKE

Like you, the LP70+ makes a great impression. Its sleek, savvy design turns heads before you turn it on and its compact size makes it the must-have tool for any meeting with 2 or more people. Outstanding image quality communicates your message efficiently and effectively.


-WHAT GOES UP MUST COME DOWN

The LP70+ is optimized for quick setup. Setting up before and taking down after a meeting has never been easier. No sales force or conference room should be without one. As a personal business tool the LP70+ is optimized for performance and portability.

-INTUITIVE DESIGN, IMPRESSIVE FEATURE SET

Exclusive ProjectorManager[™] control software allows projector control via the PC, enhanced presentation effects, even logo and startup screen customization. Adjust control source, color, tint, brightness and keystone quickly and easily. And should you need IT support ProjectorManager sends a snapshot of the projector information so you don't have to waste time looking for information or guessing which projector model you have. ProjectorManager even provides power users the ability to freeze the projected image, for changes without distracting others looking at the screen. Picture-in-Picture for multiple sources, magnification to enlarge key areas of a file or masking to reveal images one piece at a time. With an InFocus projector – you're in control.

EASE, FUNCTIONALITY, MOBILITY.



- 1 ONE-TOUCH KEYPAD designed for simple operation
- 2 DUAL INFRARED SENSORS wireless control of the projector from anywhere
- AMBIENT ROOM LIGHT SENSOR detects room lighting and optimizes the image
- SEAMLESS DVI CONNECTIVITY receive both digital and analog signals
- 5 CONNECT BOTH COMPOSITE AND S-VIDEO – bring multi-media into the meeting room
- 6 AUDIO INPUT built-in 1-Watt speaker

- LEVELING FOOT –
 for perfect image placement
- 8 SECURITY LOCK –
 should you need to leave
 the projector set-up overnight

PROJECTION	DISTANCE/IMAGE	\$17FC
I KOJECTION	DISTANCE/ INIACE	

Distance to screen		Min Diagonal Image Size		Max Diagonal Image Size	
'5.0'	1.5m	2.7'	0.8m	3.4'	1.0m
10.0'	3.0m	5.3'	1.6m	6.8'	2.1m
15.0'	4.6m	8.0'	2.4m	10.1'	3.1m
20.0'	6.1m	10.6'	3.2m	13.5'	4.1m
30.0'	9.1m	16.0'	4.9m	20.3'	6.2m
32.8'	10.0m	17.5'	5.3m	22.2'	6.8m

 * Image diagonal divided by throw distance ranges from .53 (tele) to .68 (wide) typical.

THE INFOCUS COMMITMENT

Experience for yourself why InFocus Corporation is the worldwide leader in digital projection. Our dedication to quality and customer satisfaction is reflected in service options that will bring you a greater return on your investment. InFocus projectors come with a standard limited factory warranty, including parts and labor, and a 90-day lamp replacement warranty. Our customer support offers you premium service and convenience, whatever your needs.

For service program details in your region, please visit www.infocus.com/service/service_offerings

OPTIONAL ACCESSORIES

CA-EXE-002	Leather case – accommodates projector and laptop
SP-LAMP-003	Replacement lamp
CA-ATA-010	Shipping case (ATA approved)
CA-DLX-001	Deluxe Euro-style soft carry case – accommodates projector and laptop
CA-WHL-002	Samsonite deluxe wheeled case – accommodates projector and laptop
HW-VGA2OUT	1 in 2 out VGA splitter (monitor loop-thru)
SP-LOCK-B	Projector security lock
HW-PRESENTER-RF	Presenter RF Remote
A650	50"/127 cm Portable Projector Screen
HW-DLXSCRN	60"/152 cm Deluxe Insta-Theater Screen
	001 (010

HW-WALLSCR84 80"/213 cm Pull-Down Screen

Ships Standard With

- Wireless Navigator IR Remote Control (including batteries)
- Power cord (national and regional variants)
- M1-A analog computer cable with USB
- · Composite video cable
- Audio cable
- Projector System CD CD includes: multi-language user guide, Quick Start Guide, ProjectorManager control software, ProjectorManager Installation Guide, ProjectorManager User Guide
- Quick Start Card
- Lens cap
- User Guide
- Safety instructions/warnings

TECHNICAL SPECIFICATIONS[†]

Native Resolution	• XGA 1024 x 768	
Display Technology	DLP" by Texas Instruments": 0.7" XGA DMD DDR	
Input Sources	Computer (M1-DA), video (S-Video and RCA), audio (3.5mm mini jack)	
Compatibility/Formats	VGA through SXGA, 1152, Macintosh®	
Video Input	• NTSC 3.58, NTSC 4.43, PAL (all)	
Compatibility/Modes	• SECAM (all), SDTV (480i), EDTV (480p), HDTV (480p, 576i/p, 1080i)	
Brightness	1500 max ANSI lumens	
Contrast Ratio	1100:1 full on/full off	
Lamp	• 120W UHP/4000 Hours*	
Digital Keystone Correction	 ±15° vertical; data/video 	
Image Offset	• 110%	
Projection Lens	Zoom Lens with manual focus and manual zoom adjust	
Throw Ratio	• 1.85 – 2.35:1	
Minimum Projection		
Distance (std lens)	• 1.5 m	
Aspect Ratio	4:3 (standard); 16:9 video, data	
Audible Noise	• 32dB	
Number of Colors	16.7 million	
Image size (diagonal)	 2.7'/0.8m (min) – 22.2'/6.8m (max) 	
Projection Methods	Front, rear	
Audio	• 1-Watt	
Control	Projector keypad; IR remote control; Wired control through USB	
Dimensions	• 2.5" (H) x 6.1" (L) x 7.8" (W)	
(maximum dimensions)	63.4 mm (H) x 148.8 mm (L) x 199.0 mm (W)	
Weight (standard)	• 2.4 lbs (1.1 kg)	
Power Supply	 100V – 240V at 50 – 60 Hz 	
Power Consumption	• 155W	
H-Synch Range	• 15 – 100 kHz	
V-Synch Range	• 43.5 – 130 Hz	
Pixel Clock	• 12 – 135 MHz	
Operating Temperature	 5° – 35° C at sea level (0' to 10,000'); 45° – 95° F 	
Menu Languages	 English, Norwegian, Spanish, Italian, Portuguese, German, French, Chinese (simple), Chinese (traditional), Japanese 	
Lamp Warranty	90 days	

*Actual lamplife may vary based on the ambient environment. Conditions that may affect lamp life include temperature, altitude or rapidly switching the projector on and off.

†InFocus reserves the right to alter product offerings and specifications at any time without notice.

Contact InFocus or your dealer today.

www.infocus.com

InFocus Corporate Headquarters: 27700B SW Parkway Avenue • Wilsonville, Oregon 97070-9215, USA Phone: 503-685-8888 • 1-800-294-6400 • Fax: 503-685-8887

In Europe: InFocus International BV Strawinskylaan 585 • 1077 XX Amsterdam • The Netherlands Phone: (31) 20 5792000 • Fax: (31) 20 5792999 Freephone: 008000 4636287 (008000 INFOCUS)

In Asia: InFocus Systems Asia Pte Ltd. 238A Thomson Road • #18-01/04 Novena Square Singapore 307684 • Phone: (65) 6334-9005 • Fax: (65) 6333-4525

InFocus, LP and LiteShow are registered trademarks and ProjectAbility is a trademark of InFocus Corporation. All other trademarks are used with permission or are for identification purposes only and are the property of their respective companies. ©2004 InFocus Corporation. All rights reserved. 805:0931.02. LP70+_DS_E_V02.qxd. 12/04.